

Project and contact details

Complete this editable PDF, then email it with drawings, schedules or site photos to info@clickclad.com.au.

PROJECT NAME

COMPANY

REQUIRED BY

CONTACT NAME

EMAIL

PHONE

PROJECT / INSTALLATION LOCATION

PRODUCT SCHEDULE Enter straight tube length in millimetres. Continue on page 2 for more products.

NO.	PRODUCT	DESCRIPTION / LENGTH MM	MATERIAL / COLOUR	PIPE TYPE / OD MM	INSULATION Type / THICKNESS MM	QUANTITY / U/M
1						
2						
3						
4						
5						
6						

NO.	PRODUCT	DESCRIPTION / LENGTH MM	MATERIAL / COLOUR	PIPE TYPE / OD MM	INSULATION Type / THICKNESS MM	QUANTITY / U/M
7						
8						
9						
10						
11						
12						
13						
14						
15						
16						

Before you send your enquiry

Accurate dimensions and clear supporting information help us confirm the correct made-to-measure product.

1. CHECK MEASUREMENTS

Use millimetres. Include pipe OD and insulation thickness. For insulated pipe, measure the finished outside circumference where applicable. Minimum finished diameter is 75 mm.

2. CONFIRM THE FITTING

For elbows, provide both A and B and use the smaller radius. For valve covers, nominate the shape and provide W x H x L, including 15-25 mm clearance.

3. SPECIFY MATERIAL

Standard cladding is aluminium 0.37 mm, stainless steel 304 at 0.3 mm, or Colourbond at 0.3 mm. Confirm Colourbond against a physical sample before fabrication.

4. COMPLETE THE SCHEDULE

For each product include the description, material, pipe and insulation details, quantity and unit. Straight tube lengths must be in millimetres; allow three bands per metre.

5. ATTACH SUPPORTING FILES

Attach drawings, marked-up plans, CAD files and site photos where they clarify the scope. Mention any non-standard fabrication, labelling or finish in your enquiry notes.

6. MADE-TO-ORDER PRODUCTS

Review all information before sending. Fabrication and dispatch details are confirmed with your quotation or order acknowledgement. Custom products may not be eligible for change-of-mind return.

READY TO SEND?

Email your completed form to info@clickclad.com.au

Include drawings, schedules or site photos as attachments. We will review the information and confirm the next steps.