



CLICKCLAD: ELBOWS & RADIUS

90 ELBOW COVER BEFORE INSULATION : R- VALUE*


1. R-value of Clickclad 90 degree elbow cover is smaller length between A and B
2. Steel or Stainless Steel Pipe: Please measure welding lines, horizontal and vertical length, the smaller length is R - value of 90 degree elbow cover.
3. Copper Pipe: Please measure the inner connection lines, horizontal and vertical length, the smaller length is R - value of 90 degree elbow cover.




[EX]



*R-value: 95mm



[EX]



*R-value: 80mm



Add. Unit 6, 19 Chifley Street,
Smithfield NSW 2164
Tel. 1300 186 667
Web. <https://clickclad.com.au/>
E-mail. info@clickclad.com.au

Revision no.

0

23.02.2015


CLICKCLAD: PIPE SIZES

1. What is required are accurate measurements at all times. Pipe size OD. Pipe type. Insulation wall thickness. And the type of insulation being used. If your pipe is already insulated we require the total circumference of the pipe including the insulation, using the appropriate tape measure.

2. Minimum diameter we cater for is 75mm.

Example: Pipe OD = 20mm. Insulation wall 25mm total diameter is $25+20+25=70$ which is too small. So use 25mm thickness wall insulation with 25mm Pipe OD [$25 \times 25 \times 25 = 75\text{mm}$]

3. Each metre of straight tube cladding requires 3 bands per metre.




Add. Unit 6, 19 Chifley Street,
Smithfield NSW 2164
Tel. 1300 186 667
Web. <https://clickclad.com.au/>
E-mail. info@clickclad.com.au

Revision no.
0
23.02.2015


CLICKCLAD: FLANGE & VALVE COVER

1. For the Flange and Valve Covers, there are 3 simple shapes available Cylinder, Flat Top, Box.
2. When you decide on the shape of the flange and valve cover. Consider valve type, valve accessories and any other obstruction such as wall, pipe layout.
3. Minimum diameter of the Clickclad sysetm is 75mm.
4. When installing give yourself enough clearence. 15- 25mm
Example 200 W x195 H x 250 L mm = 215 W x210 H x 265 L mm
5. Each unit comes with its own set of bands


[VC - CYLINDER]



[VF - FLAT TOP]



[VB - BOX]



Add. Unit 6, 19 Chifley Street,
Smithfield NSW 2164
Tel. 1300 186 667
Web. <https://clickclad.com.au/>
E-mail. info@clickclad.com.au

Revision no.
0
23.02.2015